



# Submittal

## Split System Cooling

BAR5-60-15


Location: \_\_\_\_\_  
Engineer: \_\_\_\_\_  
Submitted to: \_\_\_\_\_  
Submitted by: \_\_\_\_\_  
Reference: \_\_\_\_\_

Approval: \_\_\_\_\_  
Date: \_\_\_\_\_  
Construction: \_\_\_\_\_  
Unit # : \_\_\_\_\_  
Drawing # : \_\_\_\_\_



Note: " Graphics in this document are for representation only. Actual model may differ in appearance."

## Outdoor unit dimension



Unit Dimensions			
Model	H(inches)	W(inches)	L(inches)
18	24-15/16	23-5/8	23-5/8
24	24-15/16	28	28
30	33-3/16	28	28
36	24-15/16	29-1/8	29-1/8
42/48/60/61	33-3/16	29-1/8	29-1/8



## Specification

	BAR5-60-15
<b>NOMINAL CAPACITY</b>	
Cooling (BTU/h)	60,000
Heating (BTU/h)	/
<b>ELECTRICAL DATA</b>	
Voltage / Phase (60 Hz)	208/230 / 1
Min. / Max. Voltage	187/253
MCA	35
MOP	60
<b>COMPRESSOR</b>	
Type	Scroll
Stage	Single
RLA	26
LRA	127
Crankcase Heater	NO
<b>CONDENSER COIL</b>	
Type	Copper Tube
Tube Size(O.D)	-
<b>FAN MOTOR</b>	
Motor Type	ECM
Capacitor(uF)	/
Horsepower (HP)	1-1/3
Full Load Amps (FLA)	2
<b>REFRIGERATION SYSTEM</b>	
Liquid Valve Size (O.D.)	3/8
Suction Valve Size (O.D.)	7/8
Liquid Line Size ("O.D.)	3/8
Suction Line Size ("O.D.)	1 1/8
Refrigerant Charge (lbs. - oz.)	7 LBS.-14 OZ
Superheat(°F)	9 oF
<b>OPERATION RANGE</b>	
Cooling(°F)	55-115
Heating(°F)	/
<b>SOUND POWER (DB)</b>	
	77

Outdoor Unit	Indoor Unit	Cooling Capacity	EER2	SEER2
BAR5-60-15	LUC5-60-15+TXV	54000	11.2	<b>13.8</b>
BAR5-60-15	LCM5-60-15	54500	11.7	<b>14.3</b>

# ComfortStar®

12201 N W 107th Avenue  
Miami, FL 33178  
1.866.524.9898 Toll Free  
305.500.9898 Office  
305.500.9896 Fax  
<http://www.comfortstarusa.com>

---



The AHRI mark indicates Comfortstar participating in the AHRI Certification program. Visit [ahridirectory.org](http://ahridirectory.org) for verification of individual certified products. Comfortstar reserves the right to change design and specs without notice. Comfortstar has a policy of update the data continuously. We are committed to using environmentally conscious print practices.

BAR5-60-15 22 Jun 2022  
Supersedes BAR5-60-15 (Sept.2021)

© 2022 ComfortStar