ComfortStar®

Submittal

Split System Cooling

CC-CPAM034-1S

Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:





Note: "Graphics in this document are for representation only. Actual model may differ in appearance."



ComfortStar®

Unit dimension





Mode	Body dimension (mm)			Installation dimension (mm)		Air outlet dimension (mm)		Air return dimension (mm)	
	A	В	C	D	E	F	G	н	I
CC-CPAM024-1S	1209	680	260	1100	515	920	197	920	207
CC-CPAM028-1S	1209	680	260	1100	515	920	197	920	207
CC-CPAM030-1S	1445	680	260	1337	515	1156	197	1156	207
CC-CPAM034-1S	1445	680	260	1337	515	1156	197	1156	207
CC-CPAM040-1S	1445	680	260	1337	515	1156	197	1156	207
CC-CPAM050-1S	1445	680	260	1337	515	1156	197	1156	207

CC-CPAM034-1S 2



Specification

Comfortstar Model			CC-CPAM034-1S
Power supply			220-240V/1N/50Hz
Capacity	Cooling	kW	10
	Heating	kW	11
Rated input		kW	0.26
Fan motor	Model		DR-310-75F-8 + DR-310-150F-8
	Туре		DC
	Brand		Panasonic
	Speed	r/min	1270/1200/1130
	Speed		1240/1140/1040
	ESP	Pa	70
	Number of rows		3
Indoor coil	Fin type		Hydrophilic Aluminum
	Tube diameter and type	mm	Ø7.94,Innergroove Tube
Air flow (High speed)		m ³ /h	2000
Sound pressure level		dB(A)	40~44
Body	Dimension (W×H×D)	mm	1445×260×680
	Packing (W×H×D)	mm	1490×325×720
	Net/Gross weight	kg	43/48
Refrigerant type			R410A
Throttle type			EXV
Design pressure		MPa	4.2
Liquid pipe / Gas pipe		mm	Ø9.53/ Ø15.9
Connecting wire	Dower wire	mm2	2.5*2+2.5(L≤20m)
	Power wire		4*2+2.5(20m <l≤50m)< td=""></l≤50m)<>
	Signal wire	mm2	0.75*2 shield
Drainage water pipe (Outer diameter)		mm	Ø25
Controller	Standard		Remote controller
	Optional		Wired controller
Operation temp		°C	16~32

3 CC-CPAM034-1S

ComfortStar®

12201 N W 107th Avenue Miami, FL 33178 1.866.524.9898 Toll Free 305.500.9898 Office 305.500.9896 Fax http://www.comfortstarusa.com





The AHRI mark indicates Comfortstar participating in the AHRI Certification program. Visit ahridirectory.org for verification of individual certified products. Comfortstar reserves the right to change design and specs without notice. Comfortstar has a policy of update the data continuously.We are committed to using environmentally conscious print practices.

CC-CPAM034-1S 14th April 2023 Supersedes CC-CPAM034-1S Apr.2023)