ComfortStar®

Submittal

Split System Cooling

CC-MAH007-3PS1

Location:	Approval:	
Engineer:	Date:	
Submitted to:	Construction:	
Submitted by:	Unit #:	
Reference:	Drawing # :	





Note: "Graphics in this document are for representation only. Actual model may differ in appearance."




ComfortStar®

Unit dimension







	Dimension (mm)		
	W	н	D
CC-MAH005-3PS1	1032	810	445
CC-MAH006-3PS1	1100	870	528
CC-MAH007-3PS1	1100	870	528
CC-MAH008-3PS1	975	1335	400
CC-MAH009-3PS1	1015	1430	450
CC-MAH010-3PS1	1015	1430	450
CC-MAH011-3PS1	1120	1549	528
CC-MAH012-3PS1	1120	1549	528
CC-MAH013-3PS1	1120	1549	528

CC-MAH007-3PS1 2



Specification

Comfortstar model			CC-MAH007-3PS1
	Capacity	kW	16
Cooling	Rated current	Α	8.8
	EER	W/W	3.37
Heating	Capacity	kW	17
	Rated current	Α	8.2
	COP	W/W	3.86
Max. input consumption		W	7500
Max. current		Α	17.5
DC Inverter compressor	Quantity		1
	Туре		Twin-rotary
	Brand		Mitsubishi
	Model		MNB40FEQMC
	frequency range	Hz	10~120
	Crankcase heater	W	35
	Туре		DC
	Brand		Yongan/Weiling
Fan motor	Model		DR-310-180-8
	Insulation class		E
	Power output	W	170
Fan blade	Туре		Axial
	Air flow	m ³ /h	5500
Refrigerant	Туре		R410A
	Volume	kg	3.8
	Throttle type		EXV
Dimension (W*H*D)	Net	mm	1100*870*528
	Packing	mm	1140*965*540
Weight	Net / Gross	kg	90/100
Outdoor sound level		dB(A)	≤57
Maximum operating pressure		MPa	4.5
Pipe size	Liquid pipe/Gas pipe	mm	9.52/15.88
Max. pipe length	Total pipe length	m	100
	From OU to farthest IU	m	70
	From 1st indoor distributor to farthest IU	m	20
Max. vertical length	Between OU & IU(OU above IU)	m	30
	Between OU & IU(OU below IU)	m	20
	Between IUs	m	8
Cooling	Outdoor side	°C	-5~55
	Indoor side	°C	16~32
Heating	Outdoor side	°C	-15~30
	Indoor side	°C	16~32

3 CC-MAH007-3PS1

ComfortStar®

12201 N W 107th Avenue Miami, FL 33178 1.866.524.9898 Toll Free 305.500.9898 Office 305.500.9896 Fax http://www.comfortstarusa.com





The AHRI mark indicates Comfortstar participating in the AHRI Certification program. Visit ahridirectory.org for verification of individual certified products. Comfortstar reserves the right to change design and specs without notice. Comfortstar has a policy of update the data continuously.We are committed to using environmentally conscious print practices.

CC-MAH007-3PS1 10th April 2023 Supersedes CC-MAH007-3PS1 Apr.2023)